

## KF-0150 Undercounter Ice Kube Machine











- Simple controls, convenient, reliable and long lasting.
- Simple 3-way switch for on/off/clean. No need to remove the front panel.
- · Front air intake and discharge.
- Easy to remove, re-usable air filter to keep the condenser cleaner.
- Two ice sizes to choose from: Kube and Half Kube.
- · Hideaway bin door slides under the ice machine top.

#### **HALF KUBE**

 $3/8" \times 1^{1}/8" \times 7/8"$ (.95 x 2.86 x 2.22 cm)



#### **KUBE**

7/8" x 7/8" x 7/8" (2.22 x 2.22 x 2.22 cm)

Refrigerant R404A



Approx 26w X 27d X 33h

### KUBE MACHINE 24h 🕒 🕸 🚺 / 🎼 4 21°/10°C 32°/21°C [kWh/ [gal/ 100 lbs ice] 70°/50°F 100 lbs ice] 168 lbs 110 lbs KDF-0150A 9.35 32 76 kg 50 kg 169 lbs 114 lbs KYF-0150A 9.1 32 77 kg 52 kg








## KF-0250 Undercounter Ice Kube Machine







- Simple 3-way switch for on/off/clean.
   No need to remove the front panel.
- · Front air intake and discharge.
- Easy to remove, re-usable air filter to keep the condenser cleaner.
- Two ice sizes to choose from: Kube and Half Kube.
- Hideaway bin door slides under the ice machine top.

# VF-0250 NDERCOUNTER



#### HALF KUBE

 $^{3}/_{8}"$  x  $1^{1}/_{8}"$  x  $^{7}/_{8}"$  (.95 x 2.86 x 2.22 cm)

$$\frac{*}{A} = 100\%$$



#### KUBE

<sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" (2.22 x 2.22 x 2.22 cm)

Refrigerant R404A



Approx 30w X 28d X 33h

+C		+c +c	24h 🕑 🛱	₹1/ات	5	-
+C	<b>21°/10°C</b> 70°/50°F		<b>32°/21°C</b> 90°/70°F	[kWh/ 100 lbs ice]	[gal/ 100 lbs ice]	
KDF-0250A	KDE 03E0A	8.5g	256 lbs	180 lbs	7.5	32
KDF-0250A			116 kg	82 kg	7.5	32
KYF-0250A		258 lbs	190 lbs	7.3	32	
		5.7g	117 kg	86 kg	7.3	32

Cabinet volume 4.52 ft<sup>3</sup> (0.128 m<sup>3</sup>)

134 lb. (61 Kg) ice storage capacity\*

<sup>\*</sup> Application capacity based on: 90% volume x 33lbs/ft3 average density of ice










## KT-0300 Ice Kube Machine








 High-tech exterior with smudge and fingerprint resistant stainless-like finish



• White plastics in the food zone help identify areas needing cleaning



 Available CleanAir<sup>™</sup> pack controls the growth of bacteria and fungi that form slime and cause odors in the food zone





#### HALF KUBE

<sup>3</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" (.95 x 2.86 x 2.22 cm)



#### KUBE

<sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" (2.22 x 2.22 x 2.22 cm)

<u>\*</u> = 100%

R410A Refrigerant



Approx 30 X 34 X 53

Koolaire KT0300 Ice Kube
Machine on a K-400 bin.

+C			24h 🖒 😥	5		
+C	<b>70°/50°F</b> 21°/10°C		<b>90°/70°F</b> 32°/21°C	[kWh/ 100 lbs ice]	[gal/100 lbs ice]	
KDT-0300A	<u> </u>		333 lbs	230 lbs	5.9	19
KD1-0300A		8.5g	151 kg	104 kg	5.9	19
LVT 0300A	•		330 lbs	230 lbs	5.9	19
KYT-0300A		5.79	150 kg	104 kg	3.9	19









## KT-0420 Ice Kube Machine









- Easy access to food zone with removal of two screws and lift-off door
- High-tech exterior with smudge and fingerprint resistant stainless-like finish
- White plastics in the food zone help identify areas needing cleaning
- Water shield, distribution tube, pump, floats, and trough removable by hand
- Available CleanAir<sup>™</sup> pack controls the growth of bacteria and fungi that form slime and cause odors in the food zone



#### **HALF KUBE**

 $^{3}/_{8}" \times 1^{1}/_{8}" \times ^{7}/_{8}"$  (.95 x 2.86 x 2. 22 cm)

<u>\*</u> = 100%



#### **KUBE**

'/s" X '/s" X '/s" (2.22 x 2.22 x 2.22 cm)



Approx 22w X 34d X 66h Koolaire KT-0420 Ice Kube Machine on a K420 bin.

+c		Alb	24h 🕑 🚱	5	7	
	+C		<b>70°/50°F</b> 21°/10°C	<b>90°/70°F</b> 32°/21°C	[kWh/ 100 lbs ice]	[gal/100 lbs ice]
KDT-0420A		8.5g	440 lbs	350 lbs	5.8	19
			199 kg	159 kg	5.6	
KYT-0420A	4	5.79	450 lbs	360 lbs	5.5	19
			204 kg	163 kg	3.5	19











## KT-0500 Ice Kube Machine









- Easy access to food zone with removal of two screws and lift-off door
- High-tech exterior with smudge and fingerprint resistant stainless-like finish
- White plastics in the food zone help identify areas needing cleaning



#### **HALF KUBE**

<sup>3</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" (.95 x 2.86 x 2.22 cm)



#### **KUB**

<sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" (2.22 x 2.22 x 2.22 cm)

R410A Refrigerant

- Water shield, distribution tube, pump, floats, and trough removable by hand
- Available CleanAir<sup>™</sup> pack controls the growth of bacteria and fungi that form slime and cause odors in the food zone



Koolaire KT-0500 Ice Kube Machine on a K570 bin

	+C		24h 🕑 📆	5	-		
	+C		<b>70°/50°F</b> 21°/10°C	<b>90°/70°F</b> 32°/21°C	[kWh/ 100 lbs ice]	[gal/100 lbs ice]	
LADT OFOOA	4	A	515 lbs	400 lbs	5.4	19	
KDT-0500A		8.5g	233 kg	181 kg	5.4	19	
LVT OFOOA	<b>6</b>		550 lbs	425 lbs	5.3	19	
KYT-0500A		5.7g	249 kg	193 kg	5.5	19	
KDT 0E00W	<u> </u>		533 lbs	420 lbs	4.4	19	
KDT-0500W		8.5g	242 kg	191 kg	4.4	19	
NAT UEUUM	<u> </u>	M	560 lbs	450 lbs	4.0	10	
KYT-0500W			5.79	254 kg	209 kg	4.0	19

Approx 30 X 34 X 66









## KT-1000 Ice Kube Machine









- Easy access to food zone with removal of two screws and lift-off door
- High-tech exterior with smudge and fingerprint resistant stainless-like finish
- White plastics in the food zone help identify areas needing cleaning
- Water shield, distribution tube, pump, floats, and trough removable by hand
- Available CleanAir<sup>™</sup> pack controls the growth of bacteria and fungi that form slime and cause odors in the food zone



#### **HALF KUBE**

<sup>3</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" (.95 x 2.86 x 2. 22 cm)



#### KUE

<sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" (2.22 x 2.22 x 2.22 cm)

Refrigerant R410A



T-1000

Approx 30 X 34 X 70

Koolaire KT-1000 Ice Kube Machine on a K570 bin.


	+C	G-c G-c	24h 🕒 🔐	5	7	
			<b>70°/50°F</b> 21°/10°C	<b>90°/70°F</b> 32°/21°C	[kWh/ 100 lbs ice]	[gal/100 lbs ice]
KDT 1000A	1_		890 lbs	680 lbs	F 2F	20.0
KDT-1000A		8.5g	404 kg	308 kg	5.35	∠0.0
I//T 1000A	1_	A	960 lbs	775 lbs	4.9	20.0
KYT-1000A		5.79	435 kg	362 kg	4.9	20.0
KDT 1000W	<u> </u>		835 lbs	720 lbs	4.25	20.0
KDT-1000W		8.5g	379 kg	327 kg	4.35	20.0
KVT 1000W	<u> </u>	A	860 lbs	730 lbs	4.25	20.0
KYT-1000W	<b>ॐ</b> │	5.79	390 kg	331 kg	4.25	20.0







## K-Series Ice Storage Bins



#### **FEATURES**

- All K-bins include one set of 4 legs.
   Adjustable from 6 " to 7.75 in (15.24 to 20.32cm)
- Stay open door keeps bin door out of the way while scooping ice.
- Internal scoop holder keeps scoop above the ice line for better sanitation
- Foamed insulated door reduces sweat on the door and keeps ice lasting longer.
- High tech stainless like finish with superior corrosion resistance.
- Black side panels to match your Koolaire modular ice machine.



Pictured: Koolaire Kuber KT0700 series on a K570 bin

	D-BIN CAPACITIES							
BIN MODEL	*Application Capacity		**2017 AHRI Capacity		***2018 AHRI Cubic Volume			
	lbs.	kgs	lbs.	kgs				
K-420	383	174	310	141	12.9			
K-400	365	166	290	132	12.3			
K-570	532	241	430	195	17.9			
K-970	882	400	710	322	29.7			

#### **BIN LEG OPTIONS**

Order replacement adjustable legs 4" (10.16 cm) to 6" (15.24 cm) with kit K00441. Optional casters available 7.635" (19.37 cm) to 8.625" (21.1 cm) by ordering kit K00138. Casters cannot be used with K-420 bin.

WBIN MODEL	CAPACITY		KOOLAIRE KUBER ICE MACHINE MODEL NUMBER (ADAPTER LISTED, IF REQUIRED)						
WODEL	lbs.	kg	300	420	400	500	700	1000	1700
K-420	383	174		•					
K-400	365	166	•	K00472	•				
K-570	532	241		K00472	•				
K-970	882	400	K00470	K00473	K00470	K00470	K00470	K00470	

Above dimensions include bin leg height of 6".

All bins include 82 oz white scoop part # 00011765







<sup>\*</sup>Application Capacity is based on 90% of the volume x 33 lbs/ft3 average density of ice. Ice must be managed.

<sup>\*\*2017</sup> Approved AHRI capacity is based on 80% of the total volume x 30 lbs/ft3 average density of ice.

<sup>\*\*\*2018</sup> Approved AHRI measurement for bin capacity